

Jet Evo

Scrivanie · Desks · Bureaux
Schreibtische · Escritorios



Gambe · Legs · Piètements Beine · Patas			
JB	JN		
Piano · Worktop · Plateau Tischplatte · Plano			
BL	NC	RN	R


W cm D cm H cm Cod.



3 weeks


4 weeks

Scrivanie con gambe a colonna
Desk with column legs
Bureau avec piétements colonne
Schreibtisch mit Säule
Escritorio con patas de columna




W	D	H	Cod.	Price 1	Price 2	Weight	Volume
80	60	74	JS.0806.00	1.695	-	33	0,17
100	60	74	JS.1006.00	1.703	1.937	35	0,17
120	60	74	JS.1206.00	1.744	1.992	39	0,18
180	60	74	JS.1806.00	1.730	2.147	43	0,19
200	60	74	JS.2006.00	1.745	2.178	46	0,19
160	80	74	JS.1608.00	1.776	2.282	47	0,27
180	80	74	JS.1808.00	1.794	2.367	50	0,28
200	80	74	JS.2008.00	1.816	2.449	53	0,29
180	100	74	JS.1810.00	1.893	-	56	0,49
200	100	74	JS.2010.00	1.916	2.709	59	0,5

Scrivanie con gamba a colonna ridotta
Desk with reduced leg
Bureau avec pied colonne réduit
Schreibtisch mit verkürzter Säule
Escritorio con pata redujo




RH	160	80	74	JS.1608.DO	1.621	2.127	44	0,26
RH	180	80	74	JS.1808.DO	1.639	2.212	47	0,27
RH	200	80	74	JS.2008.DO	1.661	2.294	51	0,27
RH	180	100	74	JS.1810.DO	1.748	-	53	0,4
RH	200	100	74	JS.2010.DO	1.771	2.564	57	0,41
LH	160	80	74	JS.1608.SO	1.621	2.127	44	0,26
LH	180	80	74	JS.1808.SO	1.639	2.212	47	0,27
LH	200	80	74	JS.2008.SO	1.661	2.294	51	0,27
LH	180	100	74	JS.1810.SO	1.748	-	53	0,4
LH	200	100	74	JS.2010.SO	1.771	2.564	57	0,41

Scrivanie a ponte con gambe a colonna
Bridge desk with columns leg
Bureau avec pieds colonnes
Schreibtisch mit Fugestelle
Escritorio en puente con pata de columna




	160	80	74	JS.1608.P1	1.529	2.035	38	0,2
	180	80	74	JS.1808.P1	1.547	2.120	41	0,21
	200	80	74	JS.2008.P1	1.569	2.202	44	0,21
	180	100	74	JS.1810.P1	1.653	-	47	0,33
	200	100	74	JS.2010.P1	1.676	2.469	50	0,34

Dattilo agganciato con gambe a colonna
Hanging return with column legs
Retour suspendu avec piétement colonne
Ansatz Tisch mit säule
Plano retraible enganchado con pata de columna



	80	60	74	JS.0806.B0	997	-	23	0,1
	100	60	74	JS.1006.B0	1.037	1.271	28	0,1
	120	60	74	JS.1206.B0	1.046	1.294	29	0,11


Piano conversazione con gambe a colonna
Front brief desk with column leg
Plan de conversation avec piétement colonne
Besprechungsplatte auf Säule
Plano de conversación con pata de columna



	140	80	74	JS.1408.B0	1.089	-	35	0,16
--	-----	----	----	------------	-------	---	----	------

Jet Evo

Scrivanie · Desks · Bureaux
Schreibtische · Escritorios




Gambe · Legs · Piètements Beine · Patas		
JB	JN	
Piano · Worktop · Plateau Tischplatte · Plano		
BL	NC	RN

W cm D cm H cm Cod.

Kg m³




Scrivania con gambe a colonna
Desk with column legs
Bureau avec piètements colonne
Schreibtisch mit Säule
Escritorio con patas de columna




W	D	H	Cod.	Price	Weight	Volume
80	60	76	JS.0806.04	1.773	40	0,19
100	60	76	JS.1006.04	1.809	43	0,2
120	60	76	JS.1206.04	1.873	49	0,21
180	60	76	JS.1806.04	1.931	58	0,24
200	60	76	JS.2006.04	1.979	62	0,25
160	80	76	JS.1608.04	2.027	64	0,3
180	80	76	JS.1808.04	2.085	69	0,31
200	80	76	JS.2008.04	2.131	75	0,32
180	100	76	JS.1810.04	2.235	80	0,53
200	100	76	JS.2010.04	2.290	87	0,55

Scrivania con gamba a colonna ridotta
Desk with reduced leg
Bureau avec pied colonne réduit
Schreibtisch mit verkürzter Säule
Escritorio con pata redujo




RH	160	80	76	JS.1608.D4	1.872	62	0,29
RH	180	80	76	JS.1808.D4	1.930	67	0,3
RH	200	80	76	JS.2008.D4	1.976	72	0,31
RH	180	100	76	JS.1810.D4	2.090	78	0,44
RH	200	100	76	JS.2010.D4	2.145	84	0,45
LH	160	80	76	JS.1608.S4	1.872	62	0,29
LH	180	80	76	JS.1808.S4	1.930	67	0,3
LH	200	80	76	JS.2008.S4	1.976	72	0,31
LH	180	100	76	JS.1810.S4	2.090	78	0,44
LH	200	100	76	JS.2010.S4	2.145	84	0,45

Scrivania a ponte con gambe a colonna
Bridge desk with columns leg
Bureau avec pieds colonne
Schreibtisch mit Fustgestelle
Escritorio en puente con pata de columna




	160	80	76	JS.1608.P4	1.780	55	0,23
	180	80	76	JS.1808.P4	1.838	60	0,24
	200	80	76	JS.2008.P4	1.884	66	0,25
	180	100	76	JS.1810.P4	1.995	71	0,37
	200	100	76	JS.2010.P4	2.050	78	0,38

Dattilo agganciato con gambe a colonna
Hanging return with column legs
Retour suspendu avec piètement colonne
Ansatz Tisch mit säule
Plano retraible enganchado con pata de columna



	80	60	76	JS.0806.B4	1.075	30	0,12
	100	60	76	JS.1006.B4	1.143	36	0,13
	120	60	76	JS.1206.B4	1.175	39	0,14


Piano conversazione con gambe a colonna
Front brief desk with column leg
Plan de conversation avec piètement colonne
Besprechungsplatte auf Säule
Plano de conversación con pata de columna



	140	80	76	JS.1408.B4	1.304	51	0,19
--	-----	----	----	------------	-------	----	------

Jet Evo

Scrivanie · Desks · Bureaux
Schreibtische · Escritorios




Gambe · Legs · Piètements Beine · Patas
JB JN
Piano · Worktop · Plateau Tischplatte · Plano
C

W cm D cm H cm Cod.




4 weeks

Scrivania con gambe a colonna
Desk with column legs
Bureau avec piètements colonne
Schreibtisch mit Säule
Escritorio con patas de columna




W	D	H	Cod.	Price	Weight (Kg)	Volume (m³)
100	60	74	JV.1006.00	2.150	50	0,22
120	60	74	JV.1206.00	2.240	58	0,24
180	60	74	JV.1806.00	2.374	71	0,28
200	60	74	JV.2006.00	2.440	77	0,29
160	80	74	JV.1608.00	2.665	80	0,33
180	80	74	JV.1808.00	2.739	87	0,35
200	80	74	JV.2008.00	2.814	94	0,36
180	100	74	JV.1810.00	3.093	102	0,58
200	100	74	JV.2010.00	3.176	111	0,6

Scrivania con gamba a colonna ridotta
Desk with reduced leg
Bureau avec pied colonne réduit
Schreibtisch mit verkürztem Säule
Escritorio con pata redujo



Configuration	W	D	H	Cod.	Price	Weight (Kg)	Volume (m³)
RH	160	80	74	JV.1608.D0	2.510	78	0,32
RH	180	80	74	JV.1808.D0	2.584	85	0,34
RH	200	80	74	JV.2008.D0	2.659	92	0,35
RH	180	100	74	JV.1810.D0	2.948	100	0,49
RH	200	100	74	JV.2010.D0	3.031	109	0,51
LH	160	80	74	JV.1608.S0	2.510	78	0,32
LH	180	80	74	JV.1808.S0	2.584	85	0,34
LH	200	80	74	JV.2008.S0	2.659	92	0,35
LH	180	100	74	JV.1810.S0	2.948	100	0,49
LH	200	100	74	JV.2010.S0	3.031	109	0,51

Scrivania a ponte con gambe a colonna
Bridge desk with columns leg
Bureau avec pieds colonne
Schreibtisch mit Fußgestelle
Escritorio en puente con pata de columna




Configuration	W	D	H	Cod.	Price	Weight (Kg)	Volume (m³)
RH=LH	160	80	74	JV.1608.P1	2.418	71	0,26
RH=LH	180	80	74	JV.1808.P1	2.492	78	0,28
RH=LH	200	80	74	JV.2008.P1	2.567	85	0,29
RH=LH	180	100	74	JV.1810.P1	2.853	93	0,41
RH=LH	200	100	74	JV.2010.P1	2.936	102	0,43

Dattilo agganciato con gambe a colonna
Hanging return with column legs
Retour suspendu avec piètement colonne
Ansatz Tisch mit säule
Plano retraible enganchado con pata de columna



W	D	H	Cod.	Price	Weight (Kg)	Volume (m³)
100	60	74	JV.1006.B0	1.484	44	0,15
120	60	74	JV.1206.B0	1.542	48	0,16

Piano conversazione con gambe a colonna
Front brief desk with column leg
Plan de conversation avec piètement colonne
Besprechungsplatte auf Säule
Plano de conversación con pata de columna



W	D	H	Cod.	Price	Weight (Kg)	Volume (m³)
140	80	74	JV.1408.B0	1.917	65	0,22

Jet Evo

Mobili di servizio sottoscrivania · Support service modules · Elements de service portants
Stand-Technikcontainer · Módulos de servicio de apoyo

KR



Tappo passacavi
Cable access port · Passe-cable carré
Kabeldurchlass · Tapon pasacables

Finitura · Finish · Finition
Ausführung · Acabado

JB JN

W D H
cm cm cm Cod.


Kg m³



3 weeks

2 ante, 4 cassetti, 3 serrature e vano frontale con anta
2 doors, 4 drawers, 3 locks and frontal compartment
2 portes, 4 tiroirs, 3 serrures et logement frontal avec porte
2 Türen, 4 Schubladen, 3 Schlösser und Frontfach mit Tür
2 puertas, 4 cajones, 3 cerraduras y compartimento frontal


LH



RH	169	56,8	54,6	JL.1705.4R	2.273	106	0,62
LH	169	56,8	54,6	JL.1705.4L	2.273	106	0,62

2 ante, 2 cassetti e 1 classificatore, 3 serrature e vano frontale con anta
2 doors, 2 drawers and 1 filing unit, 3 locks and frontal compartment
2 Türen, 2 Schubladen und 1 Hängeregistraturfach, 3 Schlösser und Frontfach mit Tür
2 puertas, 2 cajones y 1 clasificador, 3 cerraduras y compartimento frontal


LH



RH	169	56,8	54,6	JL.1705.3R	2.266	105	0,62
LH	169	56,8	54,6	JL.1705.3L	2.266	105	0,62

3 ante, 4 cassetti, 3 serrature e vano frontale con anta
3 doors, 4 drawers, 3 locks and frontal compartment
3 portes, 4 tiroirs, 3 serrures et logement frontal avec porte
3 Türen, 4 Schubladen, 3 Schlösser und Frontfach mit Tür
3 puertas, 4 cajones, 3 cerraduras y compartimento frontal


LH



RH	210,7	56,8	54,6	JL.2105.4R	2.685	130	0,79
LH	210,7	56,8	54,6	JL.2105.4L	2.685	130	0,79

3 ante, 2 cassetti e 1 classificatore, 3 serrature e vano frontale con anta
3 doors, 2 drawers and 1 filing unit, 3 locks and frontal compartment
3 Türen, 2 Schubladen und 1 Hängeregistraturfach, 3 Schlösser und Frontfach mit Tür
3 puertas, 2 cajones y 1 clasificador, 3 cerraduras y compartimento frontal

LH



RH	210,7	56,8	54,6	JL.2105.3R	2.678	128	0,79
LH	210,7	56,8	54,6	JL.2105.3L	2.678	128	0,79

Jet Evo

Accessori · Accessories · Accessoires
Zubehör · Accesorios

Staffe · Brackets · Étriers
Bügel · Estribos

BW

NF

KR

Gonna · Modesty panel · Voile de fond
Knieraumblende · Faldón

BL

NC

JB

JN

R_

RN

W D H
cm cm cm Cod.

Kg m³




3 weeks

3 weeks

4 weeks


3 weeks

Modesty panel
Modesty panel
Voile de fond
Knieraumblende
Faldón




LG	W	D	H	Cod.	Price	Weight (Kg)	Volume (m³)			
160	118,5	1,8	30	GM.1603.00	95	233	270	+9	6	0,01
180	138,5	1,8	30	GM.1803.00	102	252	302	+9	6	0,01
200	158,5	1,8	30	GM.2003.00	108	275	336	+9	7	0,01

Modesty panel
Modesty panel
Voile de fond
Knieraumblende
Faldón



LG	W	D	H	Cod.	Price	Weight (Kg)	Volume (m³)			
160	98,5	1,8	30	GM.1403.00	91	210	237	+9	5	0,01
180	118,5	1,8	30	GM.1603.00	95	233	270	+9	6	0,01
200	138,5	1,8	30	GM.1803.00	102	252	302	+9	6	0,01

Sottomano
Desk pad
Sous-main
Schreibunterlage
Vade



Finitura · Finish · Finition
Ausführung · Acabado

PL1

PE1

4 weeks

4 weeks

70	50	2	CZ.0705.00	329	286	7	0,02
----	----	---	------------	-----	-----	---	------

Jet Evo

Cassettiere e mobili di servizio · Pedestals and service side units · Caissons et éléments de service
Container und Technikcontainer · Cajoneras y módulos de servicio

Finitura · Finish · Finition
Ausführung · Acabado

JB JN


W D H
cm cm cm Cod.

Kg m³




++++
weeks
3

Cassettiera su ruote con 4 cassetti, 1 serratura
Pedestals on wheels, 4 drawers, 1 lock
Caisson sur roulettes avec 4 tiroirs, 1 serrure
Rollcontainer mit 4 Schubladen, 1 Schloss
Cajonera sobre ruedas con 4 cajones, 1 cerradura




45,3 56,8 61,1 JR.0406.F4 941 40 0,17

Cassettiera su ruote con 2 cassetti e 1 classificatore, 1 serratura
Pedestals on wheels, 2 drawers, 1 filing unit, 1 lock
Caisson sur roulettes avec 2 tiroirs et 1 classeur, 1 serrure
Rollcontainer mit 2 Schubladen und 1 Hängeregistraturfach, 1 Schloss
Cajonera sobre rueda con 2 cajones y 1 clasificador, 1 cerradura




45,3 56,8 61,1 JR.0406.F3 993 31 0,17

Su piedini con 2 ante, 2 cassetti, 1 classificatore, 3 serrature, 2 ripiani
On feet with 2 doors, 2 drawers, 1 filing unit, 3 locks, 2 shelves
Sur vérins avec 2 portes, 2 tiroirs, 1 classeur, 3 serrures et 2 étagères
Auf Füßen mit 2 Türen, 2 Schubladen, 1 Hängeregistraturfach, 3 Schlösser
Sobre patas con 2 puertas, 2 cajones y 1 clasificador, 3 cerraduras, 2 estantes



128,9 56,8 54,6 JD.1305.F3 1.700 83 0,5

Su piedini con 2 ante, 4 cassetti, 3 serrature, 2 ripiani
On feet with 2 doors, 4 drawers, 3 locks, 2 shelves
Sur vérins avec 2 portes, 4 tiroirs, 3 serrures et 2 étagères
Auf Füßen mit 2 Türen, 4 Schubladen, 3 Schlösser
Sobre patas con 2 puertas, 4 cajones, 3 cerraduras, 2 estantes



128,9 56,8 54,6 JD.1305.F4 1.707 84 0,5


Set 5 ruote (2 con freno)
5-wheel set (2 with brake)
Kit de 5 roulettes (2 avec frein)
Bausatz 5 Rollen (davon 2 mit Bremse)
Conjunto de 5 ruedas (2 con freno)

Finitura · Finish · Finition
Ausführung · Acabado

NE

++++
weeks
2






Optional per JD.1305.F4
Optional for JD.1305.F4
Optionnel pour JD.1305.F4
Optional für JD.1305.F4
Opcional para JD.1305.F4



6 6 8,5 HA.8585.R5 74 1 0

Jet Evo

Cassettiere e mobili di servizio · Pedestals and service side units · Caissons et éléments de service
Container und Technikcontainer · Cajoneras y módulos de servicio

		W cm			D cm			H cm			Cod.			Kg		m ³	
		<div style="text-align: right;"> Finitura · Finish · Finition Ausführung · Acabado NE </div>															
		<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 2 weeks </div>															
Set 5 ruote+1 per classificatore (2 con freno) 5-wheel set+1 for filing cabinet (2 with brake) Kit de 5 roulettes+1 pour le classeur (2 avec frein) Bausatz 5 Rollen+1 für Hängeregistratur (davon 2 mit Bremse) Conjunto de 5 ruedas+1 para clasificador (2 con freno)		<div style="border: 1px solid black; padding: 5px; display: inline-block; width: 100%;"> Optional per JD.1305.F3 Optional for JD.1305.F3 Optionnel pour JD.1305.F3 Optional für JD.1305.F3 Opcional para JD.1305.F3 </div>															
		6	6	8,5	HA.8585.R6			133			1	0					
Cuscino sfoderabile con velcro Cushion with removable cover Coussin déhoussable avec velcro Abnehmbarer Kissenbezug mit Klettverschluss Cojín desenfundable con velcro		<div style="text-align: right;"> Finitura · Finish · Finition Ausführung · Acabado T1 T2 </div>															
		<div style="display: flex; justify-content: space-around;"> <div style="border: 1px solid black; padding: 5px; display: inline-block;"> 4 weeks </div> <div style="border: 1px solid black; padding: 5px; display: inline-block;"> 4 weeks </div> </div>															
		42	54	3	CU.0454.01			187			216			1	0,01		
Vaschetta portacancellaria Stationery tray Bac accessoires de bureau Utensilienschale Bandeja para papelería		<div style="text-align: right;"> Finitura · Finish · Finition Ausführung · Acabado NE </div>															
		<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 3 weeks </div>															
TZ.0012.00		34	16	2	TZ.0012.00			8						2	0		
TZ.0020.00		33,5	24	2	TZ.0020.00			14						0	0		
Separatore orizzontale per cassetto metallico (confezione da 2 pezzi) Horizontal separator for metal drawer (2-pieces package) Separateur horizontal pour tiroir métallique (set de 2 pièces) Waagerechter Metalltrennfächer (2 Stück-Packung) Separador horizontal para cajón metalico (paquete de 2 piezas)		<div style="text-align: right;"> Finitura · Finish · Finition Ausführung · Acabado NF </div>															
		<div style="border: 1px solid black; padding: 5px; display: inline-block;"> 3 weeks </div>															
		32	0	8,8	TZ.0006.02			35			1	0					

Jet Evo

Credenze · Credenza storage units · Dessertes
Beistellmöbel · Credencia

BL MK

Scocca
Frame · Structure
Korpus · Estructura

KR

Maniglie, pomoli e telaio ante
Handles, knob and frame · Poignée, pommeau et châssis
Griff, Knauf und Rahmen · Manijas, pomo y bastidor

Top, fianchi · Top, sides · Top, côtés
Abdeckplatte, Seitenteile · Top, costados

JB JN

Ante · Doors · Portes
Türen · Puertas

JB JN

C

W D H
cm cm cm Cod.

Kg m³




weeks

3
Weeks

4
Weeks


Credenza con coppia ante, senza ripiani
Credenza unit with pair of doors, without shelves
Dessert avec une paire de portes, sans étagères
Beistellmöbel mit paar Türen, ohne Einlegeböden
Aparador con par de puertas, sin estantes



BP KR NE

103,6	46	74,3	JC.1007.A1	1.019	-	46	0,14
103,6	46	74,3	JC.1007.V1	-	1.108	47	0,14


Credenza con 2 coppie ante, senza ripiani
Credenza unit with 2 pair of doors, without shelves
Dessert avec 2 paires de portes, sans étagères
Beistellmöbel mit 2 Paar Türen, ohne Einlegeböden
Aparador con 2 dos puertas, sin estantes



BP KR NE

203,6	46	74,3	JC.2007.A2	1.672	-	86	0,22
203,6	46	74,3	JC.2007.V2	-	1.854	87	0,25


Credenza con coppia ante, 1 ripiano fisso
Credenza unit with pair of doors, 1 fixed shelf
Dessert avec 2 paires de portes, 1 étagère fixe
Beistellmöbel mit 2 Paar Türen, 1 fester Boden
Aparador con par de puertas, 1 estante fijo



BP KR NE

103,6	46	125,5	JC.1012.A2	1.650	-	80	0,22
103,6	46	125,5	JC.1012.V2	-	1.832	81	0,25

Credenza con 2 coppie ante, 2 ripiani fissi
Credenza unit with 2 pair of doors, 2 fixed shelves
Dessert avec 4 paires de portes, 2 étagères fixe
Beistellmöbel mit 4 Paar Türen, 2 feste Böden
Aparador con 2 dos puertas, 2 estantes fijos



BP KR NE

203,6	46	125,5	JC.2012.A4	2.759	-	147	0,39
203,6	46	125,5	JC.2012.V4	-	3.123	149	0,45

Ripiano
Shelf
Étagère
Einlegeboden
Estante



Finitura · Finish · Finition
Ausführung · Acabado

BL MK

2
Weeks

96,3	41,4	2,5	RM.1004.01	36	-	7	0,02
------	------	-----	------------	----	---	---	------

Jet Evo

Tavoli · Tables · Tables
Tische · Mesas

 **1,8 cm**

Gambe · Legs · Piètements Beine · Patas			
JB	JN		
Piano · Worktop · Plateau Tischplatte · Plano			
BL	NC	RN	R_


W cm D cm H cm Cod.



 3	 4
--	--

Tavolo
Table
Table
Tisch
Mesa




JT.1313.00
JT.1717.00

JT.2413.00


124	124	74	JT.1313.00	2.345	2.819	63	0,58
164	164	74	JT.1717.00	2.419	-	83	0,78
240	124	74	JT.2413.00	2.453	3.403	88	0,65

Tavolo con gamba centrale (8 posti)
Table with central leg (8-seater)
Table avec piètement central (8 places)
Tisch mit Fussgestell in der Mitte (8 personen)
Mesa con pata central (8 puestos)




248	124	74	JT.2513.A2	3.761	4.709	112	0,86
------------	------------	-----------	-------------------	--------------	--------------	------------	-------------

Tavolo con gamba centrale (12 posti)
Table with central leg (12-seater)
Table avec piètement central (12 places)
Tisch mit Fussgestell in der Mitte (12 personen)
Mesa con pata central (12 puestos)




372	124	74	JT.3713.A3	4.164	5.586	145	0,95
------------	------------	-----------	-------------------	--------------	--------------	------------	-------------

Tavolo con gamba centrale e spazzola passacavi
Table with central leg and brush element
Table avec piètement central et élément en brosse pour le passage des câbles
Tisch mit Fussgestell in der Mitte und Kabelauslassbürste
Mesa con pata central y cepillo pasacables



280	124	74	JT.2813.00	4.329	5.739	116	0,79
300	124	74	JT.3013.00	4.389	5.865	119	0,79
320	124	74	JT.3213.00	4.449	6.001	122	0,8
280	164	74	JT.2817.00	4.610	6.534	136	1,1
300	164	74	JT.3017.00	4.684	6.702	140	1,11
320	164	74	JT.3217.00	4.758	6.886	144	1,13

Tavolo con gamba centrale e spazzola passacavi
Table with central leg and brush element
Table avec piètement central et élément en brosse pour le passage des câbles
Tisch mit Fussgestell in der Mitte und Kabelauslassbürste
Mesa con pata central y cepillo pasacables



440	124	74	JT.4413.C0	5.083	7.241	154	0,84
480	124	74	JT.4813.C0	5.203	7.493	160	0,85
440	164	74	JT.4417.C0	5.458	8.510	182	1,23
480	164	74	JT.4817.C0	5.606	8.846	190	1,26

Jet Evo

Tavoli · Tables · Tables
Tische · Mesas




Gambe · Legs · Piètements Beine · Patas		
JB	JN	
Piano · Worktop · Plateau Tischplatte · Plano		
BL	NC	RN

W cm D cm H cm Cod.




3 weeks

Tavolo con colonna
Table with column leg
Table avec piètement colonne
Tisch mit Säule
Mesa con pata de columna



100	100	76	JT.1010.A4	791	61	0,14
124	124	76	JT.1313.A4	938	75	0,17

Tavolo
Table
Table
Tisch
Mesa




JT.1313.04
JT.1717.04

JT.2413.04


124	124	76	JT.1313.04	2.501	84	0,61
164	164	76	JT.1717.04	2.835	119	0,83
240	124	76	JT.2413.04	2.938	129	0,71

Tavolo con gamba centrale (8 posti)
Table with central leg (8-seater)
Table avec piètement central (8 places)
Tisch mit Fussgestell in der Mitte (8 personen)
Mesa con pata central (8 puestos)




248	124	76	JT.2513.D2	4.073	154	0,92
-----	-----	----	------------	-------	-----	------

Tavolo con gamba centrale (12 posti)
Table with central leg (12-seater)
Table avec piètement central (12 places)
Tisch mit Fussgestell in der Mitte (12 personen)
Mesa con pata central (12 puestos)




372	124	76	JT.3713.D3	4.632	209	1,05
-----	-----	----	------------	-------	-----	------

Tavolo con gamba centrale e spazzola passacavi
Table with central leg and brush element
Table avec piètement central et élément en brosse pour le passage des câbles
Tisch mit Fussgestell in der Mitte und Kabelauslassbürste
Mesa con pata central y cepillo pasacables



280	124	76	JT.2813.04	5.373	163	0,95
300	124	76	JT.3013.04	5.509	169	0,99
320	124	76	JT.3213.04	5.631	176	0,98
280	164	76	JT.2817.04	5.914	199	1,25
300	164	76	JT.3017.04	6.040	207	1,27
320	164	76	JT.3217.04	6.166	215	1,29

Tavolo con gamba centrale e spazzola passacavi
Table with central leg and brush element
Table avec piètement central et élément en brosse pour le passage des câbles
Tisch mit Fussgestell in der Mitte und Kabelauslassbürste
Mesa con pata central y cepillo pasacables



440	124	76	JT.4413.C4	6.725	227	1,1
480	124	76	JT.4813.C4	6.997	240	1,19
440	164	76	JT.4417.C4	7.512	279	1,44
480	164	76	JT.4817.C4	7.764	296	1,48

Jet Evo

Tavoli · Tables · Tables
Tische · Mesas

1,2 cm

Gambe · Legs · Piètements Beine · Patas
JB JN
Piano · Worktop · Plateau Tischplatte · Plano
C


W cm D cm H cm Cod.

Kg m³




4 weeks

Tavolo con colonna
Table with column leg
Table avec piètement colonne
Tisch mit Säule
Mesa con pata de columna



100	100	74	JV.1010.B1	1.629	73	0,17
124	124	74	JV.1313.B1	1.885	94	0,22

Tavolo
Table
Table
Tisch
Mesa




JV.1313.00

JV.2413.00


124	124	74	JV.1313.00	3.309	103	0,65
240	124	74	JV.2413.00	4.071	165	0,78

Tavolo con gamba centrale (8 posti)
Table with central leg (8-seater)
Table avec piètement central (8 places)
Tisch mit Fussgestell in der Mitte (8 personen)
Mesa con pata central (8 puestos)




248	124	74	JV.2513.A2	5.689	192	1,01
-----	-----	----	------------	-------	-----	------

Tavolo con 2 gambe centrali (12 posti)
Table with 2 central legs (12-seater)
Table avec 2 piètements central (12 places)
Tisch mit 2 Fussgestell in der Mitte (12 personen)
Mesa con 2 patas central (12 puestos)



372	124	74	JV.3713.A3	8.025	281	1,36
-----	-----	----	------------	-------	-----	------

Coppia pannelli di tamponamento per gambe intermedie (montati)
Pair of panels for cabled legs (assembled)
Paire de panneaux de remplissage pour piètements intermédiaires (Assemblé)
Paar Abdeckungspaneel für Zwischenfussgestell (gebaut)
Par de paneles de taponado para patas intermedias (ensamblado)



Finitura · Finish · Finition Ausführung · Acabado
JB JN
3 weeks

D.124	47,2	1,8	63,8	JG.0407.PA	350	7	0,02
D.164	80	1,8	63,8	JG.0807.PA	556	13	0,04

Technical descriptions

MELAMINE TOPS: made from 18-mm thick chipboard panels and covered with a decorative paper impregnated with melamine resins (density 650Kg/m³ E1, CARB PH 2/TSCA Title VI. Panels with low formaldehyde emission, less than 50% of class E, according to UNI EN standards. Fire reaction class Ds2, d0 – Dfl-S1) and with a 2 mm-thick rounded solid ABS edge (38mm tops=1mm thick abs edge). The tops are hooked onto the reinforced nylon clips positioned along the beams of the structure using self-threading screws which are connected to the steel inserts under the top. In the "meeting table" versions, tops have a "brush" profile applied to the internal side in order to allow for cable outlets directly onto the top. Optional accessories can be inserted into the previously perforated wooden tops to allow for the passage of cables such as a simple ABS cover with a diameter of 80 mm or a plug box with a cover and cable gland fixture.

GLASS TOPS: made from 12 mm-thick toughened glass with a shiny rounded edge; the surface below is sanded or can be lacquered in various colours. The glass tops are fixed to the structure using suction cups.

BRIDGE LEGS: made from 2 mm-thick drawn steel tubes, 70x30 mm with shiny chrome galvanic bath finish to which 2 square shaped legs, 10x10 cm are connected, and made from shiny acrylic white or black 90 gloss material obtained with folding technology. The intermediate support legs at the center of the meeting tables are positioned further back to allow use of the entire top surface. The readily serviceable closing panels to route the cables are optional. All the legs are equipped with levelling feet of approx. 1 cm fastened to a chromed square base plate with the same section of the legs.

BEAMS: the support legs are connected using a pair of telescopic beams which are made from 40 x 40 mm square drawn steel tubes. At the ends of the beams there are coupling elements for the support legs in aluminium-coloured ABS with a chrome-colour finishing on the external part; extension of the telescopic beams varies from 800 to 1000mm-from 1200 to 1800mm-from 2000 to 2400 mm. The beams also allow for the application, through the use of reinforced nylon elements, of tilting or modular baskets, made from epoxy powder coated steel wire with a 6 mm perimeter section and an internal mesh of 3.5 mm, required to transfer and hold electrical, telephone and computer cables. Beams of the extension tops with frame or of the lateral "bridge" solutions can also be fixed to the beams of the workstation using a suitable hooking system which is made from ABS moulded elements. The beams are finished with black epoxy paint

MODESTY PANELS: they are made from 18-mm thick melamine panels (density 650Kg/m³ E1, CARB PH 2/TSCA Title VI. Panels with low formaldehyde emission, less than 50% of class E, according to UNI EN standards. Fire reaction class Ds2, d0 – Dfl-S1), they are 4 sides melamine paper edged or made from made from chipboard panel covered with white or black acrylic 90 gloss material edged with 1 mm thick abs. The modesty panels can match the finish of the legs, they are coated with shiny acrylic material, 4 sides abs 10/10 edged, radius 2mm. They are fitted to the telescopic beams of the structure by a pair of fixing brackets which are mounted along the vertical edges of the modesty panel itself.

PEDESTALS: structure made of 18 mm thick chipboard (density 650Kg/m³ E1, CARB PH 2/TSCA Title VI. Panels with low formaldehyde emission, less than 50% of class E, according to UNI EN standards. Fire reaction class Ds2, d0 – Dfl-S1). Frontals, sides and top are made of 18 mm thick chipboard, coated with a gloss 90 black or white acrylic material. The edge along the perimeter sides is 1 mm thick – 2 mm radius rounded glossy ABS. The drawer fronts have chromed plastic material handles; the lock is a cylindrical Yale flat type with 2 keys and shock-resistant foldable handle. The drawers, applied with metal roller guides and slow closure, are made of folded sheet metal with an 8/10 thickness and painted with black epoxy powders. Appropriate drilling along the side edges allows the installation of optional accessories, such as horizontal separators. The drawers are equipped with 6 cm diameter chromed swivel wheels with black tread, 2 of which with a brake; the filing cabinets have the 5th wheel with a function to prevent overturning; the metallic guides of the tray are ball-shaped with total extraction slow closure. 33 and 39 cm files can be hung from the file hanger frame. Drawer closure is simultaneous through a vertical metal rod with pre-set notches. Equipped with the standard anti-tilt system.

SERVICE MODULES: body made of 18 mm thick chipboard (density 650Kg/m³ E1, CARB PH 2/TSCA Title VI. Panels with low formaldehyde emission, less than 50% of class E, according to UNI EN standards. Fire reaction class Ds2, d0 – Dfl-S1) equipped with Ø52 x h.18 mm feet with adjustable foot inside the furniture, edged on 4 sides with melamine paper. All coatings, fronts, doors, structural backs, closing sides and top are 18mm thick 90 gloss acrylic edged along the perimeter in 1 mm thick gloss ABS with 2 mm radius. The tops are positioned once the chosen composition has been combined. The doors are fitted with anticorrosion treated hinges with an opening of 105° and soft slow closure, the locks are a cylindrical Yale type with articulated key grip. The handles are made of ABS with KR finish. The drawers are applied with guides or with simple sliding extraction on self-lubricating wheels with soft closure or telescopic extraction metal guides with integrated soft closure for filing cabinets, equipped with anticorrosion treated ball carriage, made of folded sheet metal with an 8/10 thickness and painted with epoxy powders. A stationary drawer is always supplied (apart from furniture without a lock), equipped with simple sliding extraction guides on small self-lubricating wheels. Appropriate drilling along the side edges allows the installation of optional accessories, such as horizontal separators. 33 and 39 cm files can be hung from the file hanger frame. The furniture can also be positioned on 6 cm diameter swivel wheels, 2 of which with a brake; The filing cabinets have the 5th wheel with a function to prevent overturning. The furniture can also be positioned on 6 cm diameter swivel wheels, 2 of which with a brake. Some compositions are equipped with a technical module with CPU port and cable passage designed to hang under the desk to make maximum use of less accessible areas.

STORAGE UNITS: body made of 18 mm thick chipboard (density 650Kg/m³ E1, CARB PH 2/TSCA Title VI. Panels with low formaldehyde emission, less than 50% of class E, according to UNI EN standards. Fire reaction class Ds2, d0 – Dfl-S1) equipped with Ø52 x h.18 mm feet with adjustable foot inside the furniture, edged on 4 sides with melamine paper. All coatings, fronts, doors, structural backs and top are 18mm thick 90 gloss acrylic edged along the perimeter in 1 mm thick gloss ABS with 2 mm radius. The tops are positioned once the chosen composition has been combined. The doors are fitted with anticorrosion treated hinges with an opening of 105° and soft slow closure, the locks are a cylindrical Yale type with articulated key grip. The handles are made of ABS with KR finish. Glass doors: made of 4 mm back-coloured glossy tempered glass, equipped with polished extruded aluminium perimetrical frame; no locks can be mounted on these doors and the hinges are easy to adjust and made of corrosion resistant metal, with spring closure and 105° soft opening. The furniture is positioned on an 18 mm thick melamine base, supported by feet made of chrome-coloured 40x40xh. 195mm square ABS.

legno · veneer · bois · holz · madera

R_



rovere laccato nero
black lacquered oak
chêne laqué noir
schwarz lackierter Eiche
roble lacado negro

RK



rovere Carbon
Carbon oak
chêne Carbon
Eiche Carbon
roble Carbon

RC



rovere tabacco
tobacco oak
chêne tabac
Eiche Tabak
roble tabacco

RT



rovere grigio scuro
dark grey oak
chêne gris foncé
dunkelgraue Eiche
roble gris oscuro

RU



rovere grigio
grey oak
chêne gris
Eiche grau
roble gris

RG



rovere naturale
natural oak
chêne naturel
Natur Eiche
roble natural

RR



rovere laccato bianco
white lacquered oak
chêne laqué blanc
weiß lackierter Eiche
roble lacado blanco

RB



rovere laccato titanio
titanium lacquered
oak chêne laqué titane
titan lackierter Eiche
roble lacado titanio

R4



rovere laccato tortora
turtledove lacquered oak
chêne laqué tourterelle
turteltaube lackierter
Eiche roble lacado tortora

R2

melaminico · melamine · mélamine · melamin · melamina

M



nero
black
noir
schwarz
negro

MK



grigio titanio
titanium grey
gris titane
titangrau
gris titanio

GS




grigio perla
pearl-grey
gris perle
perlgrau
gris perla

GP



tortora
turtledove
tourterelle
taubengrau
törtola

MO



bianco
white
blanc
weiß
blanco

BL



noce Lux
walnut Lux
noyer Lux
lux Nussbaum
nogal Lux

NX



noce canaletto
canaletto walnut
noyer canaletto
Canaletto Nussbaum
nogal canaletto

NC



rovere naturale
natural oak
chêne naturel
Natur Eiche
roble natural

RN



rovere anticato
traditional oak
chêne vieilli
Eiche Antik
roble antiguo

RA



rosso rubino
ruby red
rouge rubis
rubinrot
rojo rub

RD



RD = Solo Domomag
Only Domomag · Seulement Domomag
Nur Domomag · Sólo Domomag



RA
Superficie antibatterica
Antibacterial surface
Surface antibactérienne
Antibakterielle Oberfläche
Superficie antibacteriana

bordo ABS · ABS edge · chant ABS · ABS-Kante · borde ABS

A



nero
black
noir
schwarz
negro

MK



grigio titanio
titanium grey
gris titane
titangrau
gris titanio

GS




grigio perla
pearl-grey
gris perle
perlgrau
gris perla

GP



tortora
turtledove
tourterelle
taubengrau
törtola

MO



bianco
white
blanc
weiß
blanco

BL



noce Lux
walnut Lux
noyer Lux
lux Nussbaum
nogal Lux

NX



noce canaletto
canaletto walnut
noyer canaletto
Canaletto Nussbaum
nogal canaletto

NC



rovere naturale
natural oak
chêne naturel
Natur Eiche
roble natural

RN



rovere anticato
traditional oak
chêne vieilli
Eiche Antik
roble antiguo

RA



oliva
olive
olive
olive
oliva













L8




terracotta
terracotta
terre cuite
terrakotta
terracota

L10


strutture metalliche · metal structures · structures métalliques · metallgestelle · estructuras metálicas

 NF	nero black noir schwarz negro	 FG	ferro grezzo raw steel métal brut rohes Metall hierro bruto	 GF	grigio titanio titanium grey gris titane titangrau gris titanio
 TF	tortora turtledove tourterelle taubengrau törtola	 AF	epox alluminio silver epoxy epoxy aluminium epoxy aluminium epoxidico aluminio	 BW	bianco white blanc weiß blanco
 VF	oliva olive olive olive oliva	 CF	terracotta terracotta terre cuite terracotta terracota	 KR	cromo lucido glossy chrome chromé brillant Chrom poliert cromo brillo
 BR	brunito (solo Arche) burnished (only Arche) bruni (seulement Arche) brüniert (nur Arche) bruñido (sólo Arche)	 EF	grigio ombra shadow grey gris ombre vulcanschwarz sombra gris	 PF	rame rosa pink copper cuivre rose kupfer-Pink cobre rosa











 seating hub NF = alluminio verniciato nero, black painted aluminium aluminium, peint noir aluminium, schwarz lackiert, aluminio pintado negro
KR = acciaio cromato (All), chromed steel (All), acier chromé (All), verchromter Stahl (All), acero cromado (All)

FG: La finitura ferro grezzo "FG" risalta la natura "industriale" del metallo grazie ad un trattamento protettivo trasparente. Differenze di tonalità, abrasioni, striature e saldature sono tipici della materia prima stessa e delle successive lavorazioni e sono tra gli elementi caratterizzanti del prodotto e per questo non contestabili.
FG: The raw steel finish "FG" emphasizes the "industrial" nature of the metal thanks to a transparent protective treatment. Differences in shades, abrasions, stripes and welds are typical of the raw material and subsequent processes, and are among the characteristic elements of the product, therefore not claimable.
FG: La finition en métal brut "FG" démarque la nature "industrielle" du Métal grâce à un traitement avec une protection transparent. Les différences dans les nuances, les abrasions et les soudures sont typiques de la matière première et des ultérieures process de production et font partie des éléments caractéristiques du produit et donc non contestables.
FG: Das rohes Metall-Finish "FG" sticht besonders hervor der "Industriellen" Natur der Metall durch einer Transparenten Schutz Behandlung. Unterschiede in Farbton, Abrieb, Streifen und Schweissungen sind typisch für den Rohstoff und die nachfolgenden Prozesse und gehören zu den charakteristischen Elementen des Produkts und daher sind nicht anfechtbar.
FG: El acabado de hierro bruto "FG" destaca la naturaleza "industrial" del Metal gracias a un tratamiento protector transparente. Las diferencias en los tonos, abrasiones, rayas y soldaduras son típicas de la materia prima y los procesos posteriores y se encuentran entre los elementos característicos del producto y, por lo tanto, es indiscutible.

laccato opaco · lacquered matt · lacqué mat · matt lackiert · lacado mate

L	 LN	 L4	 L2	 LB
	 L7	 L5	 L8	 L9
	 L10	 L11	 L12	 LJ

pelle · leather · cuir · Leder · piel

PL1	 Z01	 Z02	 Z03	 Z05	 Z13
	 Z06	 Z14	 Z10	 Z11	 Z12

pelle ecologica · eco-leather · peau écologique · Kunstleder · eco-piel

PE1	 E01	 E02	 E10	 E03	 E04
	 E11	 E05	 E12	 E07	 E08
	 E09				

acrilico lucido · glossy acrylic · acrylique brillant · glänzende acryl · acrílico brillo




nero
black
noir
schwarz
negro



bianco
white
blanc
weiß
blanco

vetro stampato · printed glass · verre imprimé · Bedrucktes Glas · vidrio impreso



nero marquinia
black marquinia
noir marquinia
schwarz marquinia
marquinia negro



bianco calacatta
white calacatta
blanc calacatta
weiß calacatta
calacatta blanco

vetro temperato retrolaccato · back-lacquered tempered glass · verre retro-lacqué trempé · sicherheitsglas rückseitig lackiert · vidrio retrolacado templado **C_** (lucido · glossy · brillant · poliert · brillo) **S_** (opaco · matt · opaque · matt · mate)



nero
black
noir
schwarz
negro



titanio
titanium
titane
titan
titanio



tortora
turtledove
tourterelle
taubengrau
tórtola



bianco
white
blanc
weiß
blanco

vetro temperato · tempered glass · verre trempé · sicherheitsglas · vidrio templado



fumé
transparent smoke grey
gris fumé
Rauchglas
gris ahumado



satinato
frosted
satiné
geätzttem Glas
satinado




trasparente
transparent
Klarsicht Glas
transparente

plastica · plastic · plastique · Plastik · plástico



nero
black
noir
schwarz
negro



alluminio
aluminium
aluminium
aluminium
aluminio



bianco
white
blanc
weiß
blanco




cromo lucido
glossy chrome
chromé brillant
Chrom poliert
cromo brillo



trasparente
transparent
transparent
klarsicht
transparente

tecnopolimero · technopolymer · technopolymère · technopolymer · tecnopolimero



nero
black
noir
schwarz
negro



bianco
white
blanc
weiß
blanco



alluminio spazzolato lucido
polished brushed aluminum
aluminium brossé poli
aluminium poliert
aluminio brillo pulido



P1P



P2P



P6P



P4P



P5P

metacrilato · methacrylate · méthacrylate · Methacrylat · metacrilato



nero opaco
black matt
noir mat
schwarz matt
negro mate



grigio opaco
grey matt
gris mat
grau matt
gris mate



bianco opaco
white matt
blanc mat
weiß matt
blanco mate